

Polymer electrodes consist of various ion-exchange materials in an inert matrix such as PVC, polythene or silicone rubber.

Solid state electrodes utilise relatively insoluble inorganic salts in a membrane.

Glass membrane electrodes are formed by the doping of the silicon dioxide glass matrix with various chemicals.

Two versions available:

- Sealed (ISE20B...ISE37B)
- Refillable with replaceable membrane (ISE60B...ISE77B)

Gas sensing electrodes are available for the measurement of ammonia, carbon dioxides and nitrogen oxides. These electrodes have a gas permeable membrane and an internal filling solution.

One versions available:

- Flat replaceable membrane (ISE50B...ISE52B)

All models are combination electrodes and have an epoxy body.

Dimensions: **110xØ12 mm**



MODEL	ION	SENSOR	RANGE (M)	RANGE (ppm)	°C	INTERFERENCES	pH	ELECTROLYTE
ISE20B ISE60B	Ammonium NH ₄ ⁺	polymer	5.10 ⁻⁶ - 10 ⁰	0.1 - 18000	0 - 50	K ⁺	4 - 10	NaCl
ISE21B ISE61B	Bromide Br ⁻	solid state	5.10 ⁻⁶ - 10 ⁰	0.4 - 79900	0 - 50	I ⁻ , CN ⁻ , S ²⁻ , high levels of Cl ⁻ and NH ₃	2 - 14	KNO ₃
ISE22B ISE62B	Cadmium Cd ²⁺	solid state	10 ⁻⁷ - 10 ⁻¹	0.01 - 11200	0 - 50	Cu ²⁺ , Hg ²⁺ , Ag ⁺ , high levels of Fe ²⁺ and Pb ²⁺	2 - 12	KNO ₃
ISE23B ISE63B	Calcium Ca ²⁺	polymer	5.10 ⁻⁶ - 10 ⁰	0.2 - 40000	0 - 50	Pb ²⁺ , Hg ²⁺ , Cu ²⁺ , Ni ²⁺	3 - 10	KCl
ISE24B ISE64B	Chloride Cl ⁻	solid state	5.10 ⁻⁵ - 10 ⁰	1.8 - 35500	0 - 50	I ⁻ , Br ⁻ , CN ⁻ , S ²⁻	1 - 12	KNO ₃
ISE25B ISE65B	Copper Cu ²⁺	solid state	10 ⁻⁸ - 10 ⁻¹	0.00064 - 6350	0 - 50	Hg ²⁺ , Ag ⁺ , high levels of Cl ⁻ , Br ⁻ , Fe ²⁺ and Cd ²⁺	2 - 12	KNO ₃
ISE26B ISE66B	Cyanide CN ⁻	solid state	5.10 ⁻⁶ - 10 ⁻²	0.13 - 260	0 - 50	Cl ⁻ , Br ⁻ , I ⁻ , S ²⁻	11 - 13	KNO ₃
ISE27B ISE67B	Fluoride F ⁻	solid state	10 ⁻⁶ - sat.	0.02 - sat.	0 - 50	OH ⁻	5 - 8	KCl
ISE28B ISE68B	Fluoroborate BF ₄ ⁻	polymer	7.10 ⁻⁶ - 10 ⁰	0.1 - 10800	0 - 50	I ⁻ , ClO ₄ ⁻ , CN ⁻	2.5 - 11	(NH ₄) ₂ SO ₄
ISE29B ISE69B	Iodide I ⁻	solid state	5.10 ⁻⁸ - 10 ⁰	0.006 - 127000	0 - 50	S ²⁻ , CN ⁻ , Cl ⁻ , Br ⁻ , S ₂ O ₃ ²⁻ , NH ₃	0 - 14	KNO ₃
ISE30B ISE70B	Lead Pb ²⁺	solid state	10 ⁻⁶ - 10 ⁻¹	0.2 - 20700	0 - 50	Hg ²⁺ , Ag ⁺ , Cu ²⁺ , high levels of Fe ²⁺ and Cd ²⁺	3 - 8	KNO ₃
ISE31B ISE71B	Nitrate NO ₃ ⁻	polymer	7.10 ⁻⁶ - 10 ⁰	0.5 - 62000	0 - 50	I ⁻ , ClO ₄ ⁻ , CN ⁻ , BF ₄ ⁻	2.5 - 11	(NH ₄) ₂ SO ₄
ISE32B ISE72B	Perchlorate ClO ₄ ⁻	polymer	7.10 ⁻⁶ - 10 ⁰	0.7 - 99500	0 - 50	-	2.5 - 11	(NH ₄) ₂ SO ₄
ISE33B ISE73B	Potassium K ⁺	polymer	10 ⁻⁶ - 10 ⁰	0.04 - 39000	0 - 50	Cs ⁺ , NH ₄ ⁺	2 - 12	NaCl
ISE34B ISE74B	Silver/Sulphide Ag ⁺ /S ²⁻	solid state	10 ⁻⁷ - 10 ⁰	0.01 - 107900 0.003 - 32000	0 - 50	Hg ⁺ , Hg ²⁺	2 - 12	KNO ₃
ISE35B	Sodium Na ⁺	glass	10 ⁻⁶ - sat.	0.02 - sat.	0 - 50	H ⁺ , K ⁺ , Li ⁺ , Ag ⁺ , Cs ⁺ , TI ⁺	5 - 12	NH ₄ Cl
ISE36B ISE76B	Surfactant X ⁺ /X ⁻	polymer	10 ⁻⁵ - 5.10 ⁻²	1 - 12000	0 - 50	similar types of surfactants	2 - 12	KCl
ISE37B ISE77B	Water hardness Ca ²⁺ /Mg ²⁺	polymer	10 ⁻⁵ - 10 ⁰	0.4 - 4000 (Ca ²⁺)	0 - 50	Cu ²⁺ , Zn ²⁺ , Ni ²⁺ , Fe ²⁺	5 - 10	KCl
ISE50B	Ammonia NH ₃	gas sensing	5.10 ⁻⁷ - 10 ⁰	0.01 - 17000	0 - 50	volatile amines	11 - 13	NH ₄ Cl
ISE51B	Carbon dioxide CO ₂ /CO ₃ ²⁻	gas sensing	10 ⁻⁴ - 10 ⁻²	4.4 - 440	0 - 50	volatile week acids	4.8 - 5.2	NaHCO ₃
ISE52B	Nitrogen oxides NO _x	gas sensing	5.10 ⁻⁶ - 5.10 ⁻³	0.2 - 220	0 - 50	SO ₂ , HF, acetic acid	1.1 - 1.7	NaNO ₂